


HIGHLY FLEXIBLE GAS HOSES ACC. TO EUROPEAN NORMS EN 14800 GAS HOSES FOR DOMESTIC USE





What Does DIN EN 14800 Mean?

European Norm DIN EN 14800:2007 represents high safety standards for corrugated metal gas hoses used in domestic appliances intended for use by individual householder inside or outside dwelling throughout Europe.

This norm aims to improve the performance of the corrugated hose assemblies by defining certain materials for components and test methods, in order to achieve save operation for Natural gas and LPG connections.



www.ayvaz.com

AYVAZ

HIGHLY FLEXIBLE GAS HOSES ACCORDING TO EUROPEAN NORMS

FOR DOMESTIC USE

Highly Flexible Also Highly Firm Structure

Ayvaz DIN EN 14800 flexible metal hoses have a three layered structure which is consisted of, highly flexible corrugated stainless steel hose, stainless steel braiding and external PVC cover.

Hose: Stainless steel AISI 316L (1.4404) is used to make sure safe gas distribution by providing a highly flexible structure which is remarkably resistant to corrosion.

Braiding: Stainless Steel AISI 304 (1.4301) braiding is the second layer which is responsible to prevent overloads and protect the assembly from mechanical damages.

PVC Cover: Transparent PVC cover aims to protect the hose from the environmental and other outside influences likewise aggressive household cleaners.

PRODUCT FEATURES

Hose Type	Parallel corrugated metal hose	DN	CONNECTION
Hose Material	Stainless Steel AISI 316L (1.4404)		Contraction
	acc. to EN ISO 10380		
Braiding Material	Stainless Steel AISI 304 (1.4301)		
Cover	Transparent PVC for the protection from		
	household and other aggressive influences	12	1/2"x1/2"
Internals	Stainless Steel AISI 304 (1.4301)		
Gaskets	NBR (Nitrile) rubber acc. to EN549		
Norm	EN 14800:2007		

Advantages of Ayvaz's DIN EN 14800 Hose Against Classic Gas Hoses

• Offers a great connection for all indoor applications as a household gas hose to cookers, gas stoves and fireplaces, gas-operated grills, patio barbecues and heaters.

• Great service life provides the most economical connection.

- Reduces the cost and time of handling and installation with its highly flexible structure.
- Highly resistant against the external mechanic damages with its three layered design and internal corrosion.
- PVC cover makes it easier to clean by normal household cleaners and provides a more hygienic
- Highest degree of safety guarantees the highest level of health and safety for the users.
- CE approved as per DIN EN 14800
- Provides the best connection features possible at long connections and can be manufactures in all lengths from 500mm up to 2000mm
- Can be installed in tightest bending radius with no reduction in cross sectional area.






Swivel Nuts: Nut in AISI 304 (1.4301) as per ISO 228 G 1/2 threadInternal Parts: Internal parts in AISI 304 (1.4301)Nipple: Nipple in AISI 304 (1.4301) stainless steel as per ISO 7/1 R1/2 thread

Ordering Instructions

Ayvaz Standard EN 14800 hoses (M-F/F-F) can be ordered with the codes given in the table below at required lengths.

Please contact our sales team for different connection types.

LENGTH (mm)	N-GAS MALE / FEMALE	N-GAS FEMALE / FEMALE	
	Art. Code	Art. Code	
500	701.150.151.050	701.150.152.050	
750	701.150.151.075	701.150.152.075	
1000	701.150.151.100	701.150.152.100	
1250	701.150.151.125	701.150.152.125	
1 500	701.150.151.150	701.150.152.150	
2000	701.150.151.200	701.150.152.200	





HEAD OFFICE - FACTORY

Atatürk Organize Sanayi Bölgesi Mustafa İnan Cad. No: 36 Hadımköy / İstanbul Tel: +90 212 771 01 45 (pbx) | Fax: +90 212 771 47 27

÷

UKRAINE Адрес:ул. В. Хвойки, 21 Киев – Украина, 04655 GSM :+ 380633080081 GSM: + 380674027785 E-mail: ukraine@ayvaz.com

ITALYRUSSIAVia Lamberti (Ex Area Saint Gobain)Адрес: 127521 г. Москва,Edificio A4-81100 Caserta14-Проезд Марьиной рощи,Rosario Molaroд.1А, корп.1Tel: +39 0823 18 70 193Tel: +7 (495) 642-85-99GSM: +39 329 43 28 810GSM: +7 (926) 420 26 72E-mail: rmolaro@ayvaz.comE-mail: ayvazrus@ayvaz.com